SECY.

Ottawa Valley

I. Paterson

PRES.

AMERICAN SOCIETY OF HEATING, REFRIGERATING AND AIR-CONDITIONING ENGINEERS, INC.

Send blue copy, together with white form on chapter attendance record, to Membership Division, ASHRAE United Engineering Center, 345 East 47th Street, New York 17, N. Y.

A CHECK LIST OF ITEMS TO BE REPORTED

- 1. PRESIDING OFFICER
- CALL TO ORDER (TIME & PLACE)
- 3. ROLL CALL
- 4. APPROVAL OF MINUTES
- 5. REPORTS
- 6. ELECTION MEMBERS OFFICERS
- 7. OLD BUSINESS
- 8. NEW BUSINESS
- 9. SPEAKER
 (TITLE)
 (BUS.)
 (CITY)
 SUBJECT
- 10. DISCUSSION
- 11. MOTIONS
- 12. RESOLUTIONS
- 13. OTHER FEATURES
- 14. LIST ON SEPARATE FORM
 NAMES OF GUESTS AND
 BUSINESS ADDRESSES
 AND MEMBERS IN ATTEND-

The regular February meeting of the Chapter was held at the Cathay Restaurant on Tuesday, February 18, 1964 with President, Ian Paterson presiding.

The meeting was called to order at 7:00 p.m. with 46 members and 6 guests in attendance.

The minutes of the January meeting were read by the secretary.

Motion by Victor Hossack, seconded by Bob Legare "that the minutes be accepted as read" - motion carried.

W. W. Miller was thanked by President Paterson for his efforts in the organization of local curling bonspiel at the Hunt Club last month.

The Regional Conference Chairman, Bill Robinson, reported more progress by his committees and announced that one of the events on the entertainment programm had been arranged. This would be a Dinner-Dance at the Hunt Club on Friday, May 8, 1964. All members were asked to make note of this date and plan to attend.

President Paterson announced that Dr. Ruptash had been notified of our Chapters intent to once again offer a grant to Carleton University students for a technical paper on a Heating, Ventilating or Air Conditioning topic.

president Paterson read an invitation and outlined the details of the Ontario Chapter Annual Technical Semminar to be held in the Park Plaza Hotel in Toronto on their regular meeting day of April 6, 1964. The topic is "Energy Concepts for Buildings of the Future".

President Paterson presented the National ASHRAE Financial Statement to the Chapter members. Following the usual break Al Oakes introduced the guest speaker for the evening, Mr. R. T. (Bob) Tamblyn.

Mr. Tamblyn's topic was "Air Conditioning of Schools" and during his talk he outlined the results of some research programms on the value of environmental control of classrooms. In general it would appear that the increase in learning efficiency in the controlled environment school would pay for the additional cost of mechanical equipment involved.

Mr. Tamblyn outlined in more detail some schools where they have been directly involved in design and illustrated some of the concepts by slides.

Mr. Tamblyn extended his talk for the evening to discuss the internal source heat pump for commercial buildings that he and his firm promoted in the past months. In brief the concept is to transfer the heat from the interior of a building to the exterior by the heat pump principal. During the night and peak periods of heating, electrical energy is used but within the power limits of peak demand. Energy costs as low as 47 cents per million BTU up to 86 cents per million BTU's are reported. The higher value is for a system not having a storage tank heat accumulator.

The speaker was thanked by Charlie Watson.

Motion by Terry Allum seconded by Soli Dudash "that the meeting adjourn" -- motion carried. Meeting adjourned at 10:00 p.m.

CHÁPTER ATTENDANCE RECORD

AMERICAN SOCIETY OF HEATING, REFRIGERATING AND AIR-CONDITIONING ENGINEERS, INC.

Ottawa Valley	ATTENDANCE: MEMBERS. 46
secretary G. Goodkey	GUESTS6
February 18, 1964	TOTAL CHAPTER MEMBERS

Return this form to Membership Division, ASHRAE, 345 East 47th Street, New York 17, N. Y.

CHAPTER GUEST ATTENDANCE RECORD Guests are requested to give their business addresses in full				
NAME	COMPANY	STREET	СІТУ	
Jack Wright			Toronto	
John Mikulec	American Air Filter		Montreal	
Frank Mallozzi	A. A. F.		Montreal	
H. N. Jackson	Eclipse		Toronto	
		•		
	77 .7 .7 .7	··		
	Use other side if t	necessary	PRINTED IN	